Beryllium
in asymptotic giant branch stars, 317
target of thermonuclear reactions, 166–69
Beta Persei, 18
Binaries, neutron-star, see Neutron-star binaries
Binaries, X-ray, see X-ray binaries
Binary stars
among A-type dwarfs, 350–51
among Am stars, 358–60
among Ap stars, 357–58
among B-type dwarfs, 348–50
among Barium stars, 363–63
among Be stars, 366–67
composition of, 320, 324
in dwarf-spheroidal galaxies, 301–2
frequencies of abnormal and normal, 343–72
among high-velocity dwarfs, 360–62
among late-type dwarfs and subgiants, 351–52
luminosities of, 154
masses of, 141–42, 153
among normal giants, 352–56
among OBC and OBN stars, 356–57
orbits of, 153
among O-type stars, 347–48
among solar-type dwarf stars, 344–47
speckle interferometry used for measuring, 148, 152–54, 160
spectroscopic, 343–70
visual, 141–42, 145, 152–54, 343, 345–46, 353, 357–58, 361–63
Binary systems, as gamma-ray sources, 95, 99–100
Blackbody emission, 31, 34, 37
Black holes, 13, 20, 22, 26, 100
Bremsstrahlung, 31, 37, 68–69, 95
BY Draconis stars
frequency of binaries among, 351–52
starspots in, 452–53, 457

C

Carbon
in interstellar dust, 178, 182, 319
production in asymptotic giant branch stars, 272–88
in red giants, 317–20
Carbon stars, 272, 286–88, 293–96, 302–5, 324–33, 336
Carina cluster, 94
Cataclysmic variable stars, 364
as X-ray sources, 14, 16, 18–20, 36–39
Celestial mechanics, 2
Centaurus A, 186
Centaurus X-3, 13, 24–25
Centaurus X-4, 28–30, 33
Cepheid variable stars
anomalous, 301–2
in Large Magellanic Cloud, 329
surface composition of, 317–23
Charge-coupled devices, 144, 147–48, 150, 153–54
Circinis X-1, 99–100
Circumstellar disk, 221, 232–33
Circumstellar dust shell, 181, 210, 246
Circumstellar envelopes, 178, 244, 266, 292–93, 295, 331–33
Climate, sun and, 429–32, 456–61
Clusters of galaxies, see Galaxies, clusters of
CO emission
in galaxies, 188–91
near Herbig-Haro objects, 225–27
in molecular clouds, 179, 182–83
Coma cluster of galaxies, 119–21, 128, 384–93
Coma supercluster, 384–93, 411–15, 418, 426
Comets, orbits of, 2
Compton radiation, 98
inverse, 68–69
Compton scattering, 99–100
Corona Borealis cluster of galaxies, 405
Corona Borealis supercluster, 411, 417
COS-B observations, 69–103
Cosmic rays, 80–82, 86, 93–95, 101, 102–3
Cosmology, 109–28
Crab nebula pulsar, 13, 35–36, 69–70, 73–78, 95–99
CTB 80, 35–36
CW Leonis, 296
Cygnus X-1, 13, 22
Cygnus X-2, 30–34
Cygnus X-3, 33, 35, 69, 78–80, 95, 99

D

Dark clouds
ammonia in, 241, 244–45, 252–53, 255
Herbig-Haro objects in, 211, 213, 216, 220
Detector arrays, 147
30 Doradus region, 188
Double stars, see Binary stars
DQ Herculis, 37
DR 21, 255
Dust
in active nuclei galaxies, 191–98, 203
in galaxies, 177–207
composition of, 183–85
effects of, 185–88
properties of, 183–85
reddening by, 185–88, 192–94
in Galaxy, 178–83
composition of, 178–80
global properties of, 181–83
infrared emission of, 178–79, 181–83
reddening by, 177–80
intergalactic, possibility of, 202–3
in quasi-stellar objects, possibility of, 198–202

E

Effelsberg telescope, 245, 254, 262–63
Einstein Observatory Satellite, 14, 35, 38, 76, 89, 92
External galaxies, 262–63
Extragalactic ammonia, 262–63
Extragalactic gas temperatures, 262–63
E 1114+182, 39
E 1405−450, 39
E 1013−477, 39

F

F stars, 9, 10
dwarf, 452
binary frequency among, 344–47, 353–54, 358–61
Faculae, 429, 446–50, 454, 462–63
Feige 24, 38
Fluorine, target of thermonuclear reactions, 166, 170
Fornax, asymptotic branch giants in, 301–2
Fornax cluster of galaxies, 124

Fraunhofer lines, 5–6
FU Orionis stars, 233–34

G

G stars
  dwarf, 452
    binary frequency among, 344–47, 353–54, 358–61
  giant
    binary frequency among, 353–56
Galactic bulge, 302–3
Galactic center, ammonia emission near, 260–61
Galactic X-ray sources, see X-ray sources, optical counterparts of compact galactic
Galaxies
  color-magnitude relation of, 120–22
  distances of, 109–28
  distribution of, 109–27, 373–426
  dust in, see Dust, in galaxies
  formation of, 374, 418–25
  orientation of, 414–15
  redshifts of, 109–30, 385–95, 400
    dipole anisotropy of, 110–11, 116–18, 128
    quadrupole anisotropy of, 111–12, 117
Galaxies, active nuclei, see Active nuclei galaxies
Galaxies, clusters of, 109–29, 373–426
  clumpiness of distribution, 373, 403–8, 425
  color-magnitude relation in, 120–21
  composition of, 414
  distances of, 109–28, 373–426
  distribution of, 373–426
  formation of, 418–25
  orientation of, 414–16
  redshift-magnitude relation for, 117–18, 124
  redshifts in, 109–28, 385, 394–95, 400, 408
  search for, 375
  superstructures of, 403–8
Galaxies, dwarf spheroidal, 301–2
Galaxies, elliptical, 122, 186, 380, 395, 397, 414, 420–21
Galaxies, irregular, 187–89, 395
Galaxies, Seyfert, see Seyfert galaxies
Galaxies, spiral, 121–23, 126, 187–90, 302–3, 421
  Sbc, 119
  Sc, 187, 189, 395
  ScI, 118–19
  S0, 122, 380, 395, 397, 414, 520
Galaxy
  distance scale of, 131, 150, 160
  dust in, see Dust, in Galaxy
  gamma-ray sources in, see Gamma-ray sources, Galactic
  X-ray sources in, see X-ray sources, optical counterparts of compact galactic
Gamma-ray astronomy, 67–108
Gamma-ray sources, Galactic, 67–108
  accretion models for, 99–100
  binary systems, 95, 99–100
  comparison with pulsars, 85–86
  Cygnus X-3 as, 69, 78–80, 95, 99
  distribution of, 82–85
  models for, 93–101
    compact sources, 95–96
    extended sources, 93–95
    light-cylinder, 98
    outer gap, 97–98
    polar gap, 96–97
    supernova remnants, 100–1
  molecular clouds as, 80–82, 86, 93–95, 102
  as new galactic population, 82–86
  properties of, 82–85
  properties of unidentified, 92–93
  radio emission from, 92
  radio pulsars as, 73–78, 85–87, 90, 95–99, 102
  supernova remnants as, 86, 90, 94–95, 100–1
  unidentified, 86–91
    properties of, 92–93
  and X-ray sources, 78–80, 88–92, 98–100
Gamma rays, production in nuclear reactions, 166, 168–73
Geminga (2CG 195+04), 72, 87–92, 99–100
Globular clusters
  binary stars in, 360–61, 363, 369–70
  in Magellanic Clouds
    asymptotic giant branch stars in, 300–1
    carbon stars in, 325–26
  X-ray sources in, 18, 20, 28, 33
Gould Belt, 81–82
Graphite
  in circumstellar envelopes, 331–33
  in interstellar dust, 178–80, 182, 305
Gravitational constant, changes in, 430–31
Grus cluster of galaxies, 124

H

H I clouds, 186, 189
H II regions
  ammonia in, 253–55, 258
  dust emission in, 179, 181–85, 188–91
H 0139−681, 39
HD 210072, 184
HEAO−1, 14, 38, 88–89, 117
HEAO−2, see Einstein Observatory Satellite
Helium
  in Sun, 4
  target of thermonuclear reactions, 166–68
Herbig-Haro objects, 209–37. See also individual HH listings
  infrared sources in, 210, 215, 219–21, 224–29, 234
  maser emission in, 227–29
  molecular clouds associated with, 224–27
  nebulae of, 210–11, 229–34
  origin of, 230–34
  polarization in, 210, 219
  proper motions of, 213–16
  radial velocities of, 212–13
  radio observations of, 209, 223–29
  spectroscopic studies of, 212–13
  theoretical models for, 229–34
  ultraviolet observations of, 209, 221–23
  variability of, 216–18
Hercules cluster of galaxies, 122, 400
Hercules supercluster, 392, 400–2, 405, 411–13, 417–18, 426
Herculis X-1 (HZ Her), 13, 30, 32–35, 38
4 Herculis, 366
88 Herculis, 366
HH 1, 209–10, 212–13, 215, 217–20, 222–23, 227, 229–30, 233
HH 2, 209, 212–13, 215, 217–20, 222–23, 230, 233
HH 3, 209
HH 6–10, 220

HH 7–11, 211, 220–21, 224–25, 227–29, 232
HH 12, 220–21
HH 22/23, 228
HH 24, 210–11, 215, 219, 224
HH 28, 215, 220–21, 225
HH 29, 215, 220–21, 225
HH 30, 211, 219
HH 32, 216
HH 38, 215
HH 39, 215, 226
HH 43, 215, 223
HH 46/47, 211–13, 215–16, 223
HH 100, 219, 221
HH 102, 215, 225
HIPPARCOS satellite, 7, 150–51, 157, 159–60
HR 2142, 366
Hubble constant, 111, 122, 126, 373, 375
Hubble diagram, 120
Hubble flow, 109–130, 380
Hubble ratio, 123
Hubble relation, 120, 127
Hubble velocity, 113–14
Hubble's law, 109–130
Hyades cluster, 131, 138–39, 320, 452
Hydra-Centaurus supercluster, 411–12
Hydrogen
  interstellar, 5
  use in stellar classification, 9
  in solar and stellar atmospheres, 3–6
  target of thermonuclear reactions, 168
HZ Herculis, see Herculis X-1
HZ 43, 38

I

IC 342, 262–63
IC 4329A, 198
IC 4665, 367
Infrared emission, 178–79, 181–82, 185–87, 189–91, 193–97, 201, 256–57, 266
  far-, 181–83, 186–91, 196, 243, 246–47, 263–66
Infrared heterodyne spectroscopy, 266
Infrared observations, 246, 260–61
  of extragalactic sources, 194–98
  far-, 251, 263–66
    of galaxies, 187–89, 196
    of Galaxy, 181–83
  of galaxies, 186–91
  of Herbig-Haro objects, 209, 219–21
Infrared sources, 295–96
  in Herbig-Haro objects, 210, 215, 219–21, 224–29
  in molecular clouds, 253, 256
Interferometers
  Fabry-Perot, 246–47, 263
  radio, 158–59
  speckle, 148
  stellar, 147–48
Interferometry, 245–47, 251, 256–67
  speckle, 148, 152–54, 160
Intergalactic dust, possibility of, 202–3
Intergalactic medium, 422–23, 425
Interstellar ammonia, see Ammonia, interstellar
Interstellar chemistry, 244
Interstellar dust (grains), 178–80, 305
Interstellar matter, 5, 103
Interstellar medium, 5, 239, 243, 251, 319
Interstellar reddening, 10. See also Dust in galaxies
IRC+10216, 266, 296
IRC+10420, 266
IUE observations, 31, 193, 222–23

K

K stars, 327–28, 352,
  dwarf, 452
  giant, binary frequency among, 353–56
K 648 (in M 15), 294, 296
Kuiper Airborne Observatory, 221, 246–47, 263

L

Large Magellanic Cloud
  asymptotic giant branch stars in, 300–1, 311
  carbon stars in, 325–33
  dust in, 184–85, 188–89
Lithium
  target of thermonuclear reactions, 168
LMC X-2, 28
LMC X-4, 25
Local Group, 111–12, 117–28, 379
Local Supercluster, 375, 378–84, 411–13, 416, 425–26
  redshifts in, 110–28
LSI 61°303, 90, 92, 94, 100
L 1551, 215, 225, 253
  IRS 5 in, 220–21, 229, 232

M

M stars, 327–28, 331, 336
  dwarf, binary frequency among, 351–52
  giant, 331–36
    binary frequency among, 353–54
Magellanic Clouds. See also Large Magellanic Cloud and Small Magellanic Cloud
  age estimates of stars in, 300–1
  carbon stars in, 286, 296, 325–33
  ultraviolet extinction in, 184–85
Magnesium
  isomeric state in ^{26}Mg, 174–75
  target of thermonuclear reactions, 171–73
Main-sequence stars, see Stars, main-sequence
Mariner spacecraft, 446–47
Masers, 227–29, 231, 253, 256, 258
Mercury, transits of, 459–60
Meridian circle observations, 154–57
Meridian transits, photoelectric registration of, 2
Meridian transits, solar, 459–60
Metal index, for Population II stars, 9–10
Metals, relative abundances in solar atmosphere, 5–6
Micrometers, 152, 156
Microwave background radiation, 111, 116–17, 124–25, 127, 202–3, 374, 421
Mira-type variable stars, 288–90, 294–96
MK 376, 198
Molecular clouds
  ammonia in, 224–25, 241, 253–55
  associated with Herbig-Haro objects, 224–27
  clumping in, 253–55, 261
  composition of dust in, 178–80, 182–83, 188–91
  as gamma-ray sources, 80–82, 86, 93, 95, 102
  hot molecular cores in, 256–62
MSH 15–52, 39
Mu Colombae, 365

M 3, 144, 369
M 15, 294, 296
M 31, 185
M 33, 184
M 51, 189–91
M 78, 224
M 82, 185–86, 190–91, 408
M 87, 122–23
M 101, 184, 186

N

Nebulae, shock-wave excitation in, 210–11, 218, 221–22, 229–34
Negative hydrogen ion, 5
Neon, target of thermonuclear reactions, 170–71, 176
Neutrinos, in mass of Universe, 422–23, 426
Neutron star binaries
  as X-ray sources
    low-mass systems, 25–35
    massive systems, 20–25
Neutron stars, in supernova remnants, 14, 35–36
Neutrons, production in nuclear reactions, 166, 168–73
NGC 253, 185, 262
NGC 330, 370
NGC 383, 395
NGC 507, 395
NGC 1052, 186
NGC 1068, 192–98
NGC 1275, 197
NGC 1333 (HH 7–11), 211, 220–22, 224–25, 227–29, 232
NGC 1555, 211
NGC 1614, 196–97
NGC 1999, 209
NGC 2261, 215, 225–26
NGC 2516, 367
NGC 4151, 192, 195–98
NGC 5056, 392
NGC 5128 (Cen A), 186
NGC 5195, 189
NGC 6475, 367
NGC 7027, 185, 192
NGC 7469, 196–97
NGC 7789, 365
Nimbus 6 and 7, 446–47, 449, 454–55
Nitrogen
  in OBN stars, 356–57
  target of thermonuclear reactions, 166, 169
Novae, in binary systems, 364
Novae, dwarf, in binary systems, 364
Novae, X-ray/optical, 13, 18, 26, 30, 33
Nuclear astrophysics, 165–76
Nuclear isomeric stars, equilibration of, 167–76
Nuclear partition functions, 166
Nucleosynthesis, 272–336
N 159, 188–89
N 4472, 117

O

O stars, 5
  binary frequency among, 347–48, 365–66
OB associations, 86, 88, 94
OB star formation, 253
OB stars, 365–66
OBC stars, 356–57
OBN stars, 356–57
Opacity discrepancy, 3–4
Open clusters, binary stars in, 367–69
Optical sine tables, 7
Optics, geometrical, 6–7
Orion Molecular Cloud, 81, 86
  ammonia in, 244
  Herbig-Haro objects in, 209–33
  IRc2 in, 256–57
  KL nebula in, 253–58, 264–65
Orion Nebula, 184
Orion OB1 Cluster, 367
Oxygen, target of thermonuclear reactions, 166–67, 169–70
Oxygen stars, 303–05, 327–28, 331

P

Parallaxes of stars, 131, 137–40, 144–52, 160
Pegasus I cluster of galaxies, 121
Perseus cluster of galaxies, 120, 394–400
Perseus supercluster, 374, 394–400, 411–16, 418, 420–21, 426
Perturbations, planetary-mass, 140–41
Photoelectric astrometry, see Astrometry, photoelectric
Photoelectric photometry, early work in, 7–10
Photoelectric *uvby* and Hβ photometry, 9–10
Planetary-mass perturbations, 140–41
Planetary nebulae, 272, 292, 294–97, 306–13
Pleiades cluster, 131, 139, 143, 367–68, 452
Polarization
  in active nuclei galaxies, 197–98
  in Herbig-Haro objects, 210–11, 219
  interstellar, 185–86
  in quasi-stellar objects, possibility of, 201–2
Population I stars, 6, 9, 86, 138–39, 150, 276, 361
Population II stars, 9–10, 25, 150, 298, 360
Population III, 423
Proper motions
  of Herbig-Haro objects, 213–16
  of stars, 136–37, 143–44, 151–52, 155, 159–60
PSR 0531+21 (Crab nebula pulsar), 13, 35–36, 69–70, 73–78, 95–99
PSR 0740−28, 78
PSR 0833−45 (Vela pulsar), 35–36, 69–70, 73–78, 95–98
PSR 1747−46, 69, 77
PSR 1818−04, 69, 77
PSR 1822−09, 78
PSR 1913+16, 23
Pulsars
  accretion models for, 99–100
  as gamma-ray sources, 69–70, 73–78, 85–87, 90, 95–99, 102
  as X-ray sources, 13, 18, 20, 22–23, 30, 35–36

Q

Quasars, 408, 417. See also Quasi-stellar objects
Quasi-stellar objects, 150–51, 158–59, 198–202. See also Quasars
  and gamma-ray sources, 88–89
  polarization of, 201–2
  possibility of dust emission in, 201
  possibility of reddening in, 199–200

R

Radio astrometry, 158–59
Radio interferometers, 158–59
Radio observations of Herbig-Haro objects, 209, 223–29
Radio pulsars as gamma-ray sources, 73–78, 95
Radio sources, 158–59
  optical counterparts of, 135

Radioactive ion beams, 167
RCW 103, 35–36
Reaction rates, thermonuclear, see Thermonuclear reaction rates
Rho Ophiuchus cloud, 80–81, 86–87, 90, 94–95, 179–80
Right-ascension determinations, 1
R Monocerotis, 215, 225–26
RR Lyrae, 139
RR Lyrae stars, 136
RS Canum Venaticorum systems, 18, 452–53, 457

S

S stars, 333–36
Sagittarius A, 260–62
Sagittarius B2, 260–61
SAS-2, 69, 77–79, 81, 84
SAS-3, 14, 88
Scorpius X-1, 13, 28, 30–32
Sculptor, dwarf spheroidal galaxies in, 301–2
Serpentis X-1, 34
Seyfert galaxies, 192–98, 200, 203
Silicates
  in Herbig-Haro objects, 221
  in interstellar dust, 178, 180, 185, 196, 305, 328
Silicon, target of thermonuclear reactions, 173, 176
Sirius B, 38
Small Magellanic Cloud, 370
  asymptotic giant branch stars in, 300–1, 311
  carbon stars in, 327–33
  dust in, 184–85
SMC X-1, 24, 25
Sodium, target of thermonuclear reactions, 171
Solar constant, 458
Solar cycle, 429, 437, 453–458, 463
Solar neutrino production, 167
Solar neutrinos, 430–31, 461, 463
Space Telescope, astrometric use of, 147, 149–51, 157, 159–60
SS Cygni, 14, 37
SS 433, 18, 35–36
Star catalogues, 134–37, 139–40, 150, 155–56, 159
Star clusters
  internal motions in, 143–44
  membership in, 142–43
Star formation, 190–91, 196, 203, 209, 224–25, 252, 255, 261
  regions of, 158, 183, 186–88, 253–54
Stars
  A-type, see A stars
  abundances in, 317–37, 350–51, 356–63
  ages of (estimates), 300–3
  asymptotic giant branch, see Asymptotic giant branch stars
  atmospheres of, model, 3, 5
  B-type, see B stars
  binary, see Binary stars
  blue stragglers, 364–65
  carbon, see Carbon stars
  cataclysmic variable, see Cataclysmic variable stars
  chromospheres of, 452
  classification of, using photoelectric photometry, 8–9
  convection zones in, 461
  F-type, see F stars
  G-type, see G stars
  giant, 369. See also individual spectral types
    CH strong, 363
    normal, 352–56
    red, see Stars, red giant
  high-velocity dwarf, 343, 360–62
  interiors of, 3–4
  intermediate-mass, 271–336
  K-type, see K stars
  low-mass, 271–336
    X-ray binaries, 14, 17–21, 25–35
  M-type, see M stars
  magnetic, 357
  magnetic fields in, 453
  main-sequence, 317–19
    as members of binary systems, 343–44, 353–56
    models for, 6
  masses of, 141–42, 152–54, 160
  massive
    X-ray binaries, 14, 17, 19–25, 32
  mass-loss in, 225–27, 230–35, 272–336
  mass-luminosity relationship in, 141–42, 154
  metallic-line, 358–60
  O-type, see O stars
  OB, 365–66
  OBC, 356–57
  OBN, 356–57
  parallaxes of, 131, 137–40, 144–52, 160
    catalogue of, 139–40
  planetary-mass companions to, 140–41
  positions of, 134–36, 151, 159–60
    catalogues of, 134–36, 154–56
  proper motions of, 143–44
    catalogues of, 136–37, 151–52, 155, 159–60
  red giant, 292, 294–96, 298, 302–3
    atmospheres of, 333–36
    composition of, 317–20, 324–25
    convective dredge-up in, 317–20
  runaway, 365–66
  S-type, see S stars
  supergiant
    G and K, 320–23
    OBC, 356–57
  thermonuclear reaction rates in, 165–76
Starspots, 18, 452–53, 457–58
Stellar evolution, 271–342, 352, 369
Stellar structure, 3
Stellar winds, 230–33, 256, 291–94, 306–8, 366
Sun
  atmosphere of, 5–6
  and climate, 429–32, 456–61
  convection zone of, 6, 429, 432–46, 460–63
    inhibition by sunspots, 438–43
  faculae in, 429, 446–50, 454, 462–63
  hydrogen content of, 4–6
  interior of, 4–6
  irradiance of, 429–67
  luminosity of, variations in, 429–67
  magnetic buoyancy in, 435–38, 443–44, 460–63
  magnetic fields in, 433–37, 458, 461–62
  "missing flux" in, 446–450, 462
  mixing length theory of, 431–34, 437, 443, 446, 463
  photosphere of, 5–6, 432, 438–44, 452, 455–56, 462
  radius of, 432, 434–37, 443, 456–57, 459–62
  relative abundances in, 3–6
  shape of, 148
  superadiabatic zone of, 434, 438–44, 462
  total eclipses of, 459
Sunspot cycle, 443, 445–52, 458, 462–63

Sunspots, 429, 438–42, 444–51, 453–55, 458, 460, 462–63
Superclusters, 373–428
  age of, 408, 418
  composition of, 380, 395, 414, 420
  connections between, 418
  distribution of galaxy types in, 395–400, 420
  evidence for, 375–78
  formation of, 418–26
  masses of, 392–93, 426
  origin of, 418–26
  shapes of, 378–79, 381, 387, 407, 409, 411–14, 426
  sizes of, 375, 378–79, 385, 392–95, 400, 405, 407, 411–13, 426
Supernova remnants
  as gamma-ray sources, 85–86, 90, 94–95, 101
  X-ray sources in, 14, 18, 20, 35–36, 39
Supernovae, 100–1, 103, 121, 272, 314–17, 365–66

T

Taurus-Auriga dark cloud, 211, 220
Technetium, 334–36
Thermal pulses, 272–91, 311
Thermonuclear reaction rates, 165–76
  aluminum targets of, 173
  beryllium targets of, 166–69
  competition in, 176
  equilibration of nuclear isomeric states, 167, 174–76
  fluorine targets of, 170
  helium targets of, 166–68
  hydrogen targets of, 168
  for isomeric states of nuclei, 167–76
  magnesium targets of, 171–73, 176
  neon targets of, 170–71
  nitrogen targets of, 166–69
  normalized partition functions, 166
  oxygen targets of, 166–67, 169–70
  for the proton-proton chain, 167
  for reactions with large negative Q-values, 167–76
  for reverse reactions, 166–175
  significant changes in, 166–67
  silicon targets of, 173, 176
  sodium targets of, 171
TMC 2, 253
T Tauri, 210–12, 220–21, 223, 226–27, 229, 232
T Tauri stars, 94, 216, 219–20, 226–27, 232–34

U

Uhuru catalogue, 13
Uhuru flux units, 87, 90
Uhuru observations, 39, 88
Universe
  distribution of galaxies in, 109–30
  mass of, 110, 422
  microwave background radiation in, 116, 124–27, 202
  multiparticle simulations of, 423–25
  nonthermal processes in, 67
  supercluster structure of, 373–428
  voids in, 373, 394, 400, 417–20, 423, 426
  X-ray background radiation in, 116–17
Urca process, 314–16
Ursa Major cluster of galaxies, 378–79, 381, 405

V

Vela pulsar, 35–36, 69–70, 73–78, 95–98
Vela X-1 (0900−403), 22–25, 35
VI Cyg # 2, 180
Virgo cluster of galaxies, 378–84, 414
  dust in, 187
  redshifts of galaxies in, 110, 117–28
Virgo supercluster, 375, 378–84, 410–13, 416, 418
  420, 426
Virgocentric flow, 123–25
Virgocentric motion, 127
Virgocentric velocity, 110, 113, 115
VLA observations, 158, 245–46, 255, 257–58, 261, 263
VLBI, 158–59
Voids in Universe, see Universe, voids in
VV Puppis, 39
VX Sagittarius, 266
VY Canis Majoris, 266
YY Draconis, 39
V 616 Monocerotis, 13, 30, 33

W

White dwarfs, 362, 364
  as companions in cataclysmic variable systems, 18, 36–37
  evolution to, 272, 297–98, 306, 313–14, 320
  as X-ray sources
    in binaries, 13–16
    isolated hot, 15–16, 38
Wolf-Rayet stars, 364
W 3, 255
W 28, 39
W 33, 251
W 51, 255, 258–60

XYZ

X Persei, 25
X-ray background radiation, 116–17
X-ray binaries, 13–35, 364
  Be-stars in, 24–25
  black holes in, 13, 20, 22, 26
  cataclysmic-variable, 14, 16, 18–20, 36–37, 39
  far-ultraviolet observations of, 25, 31–32
  luminosity ratios for, 18–20, 22
  low-mass systems, 14, 17–21, 25–35
    UBV data for, 27–28
    models for, 30–31
    orbital periods for, 32–33
  spectrophotometric data for, 28–30
  massive systems, 14, 17, 19–25, 32
  neutron star systems, 20–25
X-ray heated gas, 30–31
X-ray sources, 88–92
  as counterparts for gamma-ray sources, 78–80
  and gamma-ray sources, 98–100
X-ray sources, galactic
  unidentified, 14, 17–18, 20, 27–28
X-ray sources, optical counterparts of compact galactic, 13–66
  accretion disks in, 18, 21, 26, 30–32, 35–37
  burst sources, 14, 20, 33–34
  classification of, 17–18
  in globular clusters, 18, 20, 28, 33
  neutron star binaries as, see Neutron star binaries
  optical novae as, 13, 18, 30, 33
  persistent bright, 18, 20

pulsars as, 13, 18, 20, 22–23, 35–36
rapid variables as, 18
in supernova remnants, 14, 16, 18, 20, 39
transient, 18
white dwarfs as, 13–14, 18, 36–37
white dwarfs (hot) as, 15–16, 38
Zirconium, 333–36

MISCELLANEOUS

2CG 121+04, 90, 92
2CG 135+01, 88–90, 92, 94, 100
2CG 195+04 (Geminga), 72, 87–92, 99–100
2CG 288−00, 94
2CG 353+16, 81, 86, 94
3C 58, 35–36
3C 120, 194–96
3C 273, 70, 87, 194–95, 199, 201
3C 345, 201
0115+634, 24
0312−227, 37
0535+262, 24
0535−668, 24–25
0620−003 (V616 Mon), 13, 30, 33
0614+091, 33
0726−260, 39
0900−403 (Vela X-1), 22–25, 35–36
0921−630, 30, 32, 34
1145−619, 25
1509−589, 39
1627−673, 26, 28, 33
1636−536, 28, 33, 34
1658−298, 28
1700−377, 25
1735−444, 28, 31, 33–34
1822−371, 30, 33, 35
1916−053, 33
2129+470, 30, 33, 35
2206+542, 39
2259+586, 18
2252−034, 37